

# Package: fireworks (via r-universe)

July 11, 2024

**Type** Package

**Title** Fireworks for R

**Version** 0.0.1

**Description** A toolbox for hacking on the language.

**License** GPL (>= 3)

**BugReports** <https://github.com/shikokuchuo/fireworks/issues>

**URL** <https://shikokuchuo.net/fireworks/>,  
<https://github.com/shikokuchuo/fireworks/>

**Encoding** UTF-8

**Depends** R (>= 4.4)

**RoxygenNote** 7.3.1

**Repository** <https://shikokuchuo.r-universe.dev>

**RemoteUrl** <https://github.com/shikokuchuo/fireworks>

**RemoteRef** HEAD

**RemoteSha** 1714e4a5d5e736fb9967ee6f7c68704eccbb8cac

## Contents

fireworks-package . . . . .	2
boom . . . . .	2
fountain . . . . .	3
sparkle . . . . .	3

<b>Index</b>	<b>4</b>
--------------	----------

---

fireworks-package      *fireworks: Fireworks for R*

---

### Description

A toolbox for hacking on the language.

### Author(s)

Charlie Gao <charlie.gao@shikokuchuo.net> ([ORCID](#))

### See Also

Useful links:

- <https://shikokuchuo.net/fireworks/>
- <https://github.com/shikokuchuo/fireworks/>
- Report bugs at <https://github.com/shikokuchuo/fireworks/issues>

---

boom                      *Boom*

---

### Description

Errors if attempting to print or assign the return value. Resistant to handling with tryCatch().

### Usage

```
boom()
```

### Value

The symbol R\_UnboundValue.

### Examples

```
isS4(sparkle(boom()))
```

---

fountain	<i>Fountain</i>
----------	-----------------

---

**Description**

Returns a very large (unallocated) raw vector.

**Usage**

```
fountain()
```

**Value**

A raw vector.

**Examples**

```
x <- fountain()
str(x)
x[1]
```

---

sparkle	<i>Sparkle</i>
---------	----------------

---

**Description**

Sets the S4 bit on the R object so that `isS4()` returns TRUE on it.

**Usage**

```
sparkle(x)
```

**Arguments**

`x` an object.

**Value**

Invisibly, the supplied object with the 'S4' bit set (modified in place).

**Examples**

```
x <- fountain()
isS4(x)
sparkle(x)
isS4(x)
```

# Index

boom, [2](#)

fireworks (fireworks-package), [2](#)

fireworks-package, [2](#)

fountain, [3](#)

sparkle, [3](#)